



V J T I

Veermata Jijabai Technological Institute

(Central Technological Institute, Maharashtra State, INDIA)

H. R. Mahajani Marg, Matunga, Mumbai 400019

Tel.No. +91 22 24198101-02 Fax: +91 22 24102874

www.vjti.ac.in

Ref No. STR/I & M/ /2024

Date:- 23/10/2024

QUOTATION NOTICE

M/s.

.....

.....

**Subject:- Repairs to False Ceiling Painting & Minor Structural Repair work
in CAD / CAM Lab in Mechanical Department.**

Enquiry Issue Date:- 28/10/2024

Last date of submission:- 06/11/2024 at 3.00 P.M.

Estimated Cost: Rs.5.48 Lakhs

Dear Sir,

The Institute intends to undertake the Repairs to False Ceiling Painting & Minor Structural Repair work in CAD / CAM Lab in Mechanical Department for which sealed quotation are invited. You are requested to quote the rates/price/cost in Annexure – I.

TERMS & CONDITIONS

1. Quotation submission

- Sealed quotation, addressed to Director, VJTI; shall be posted or submitted at First Floor, Inward Section, VJTI, H. R. Mahajani Marg, Matunga, Mumbai 400019, in person so as to reach this Office on or before the due date and time.
- The sealed envelope shall be superscripted with Reference No. mentioned overleaf.
- Quotation must be printed on the **letterhead** of the firm/vendor/company/organization otherwise quotation shall be rejected outright.
- **Please mention your GST, PAN and any other relevant identification /registration numbers.**
- If the due date turns out to be a holiday for unforeseen reason, quotation should be accepted on the next working day.
- The quotation should be valid for a period of 60 days.
- The rate/price/cost quoted should be inclusive of all items, labour charges, transportation cost etc.

2. Payment:-

- **Payment after the satisfactory completion of work will be made by bank transfer only.**
- **As per Institute policy, no advance payment will be made.**

3. Acceptance of quotation

- Institute reserves the right of rejection of any or all the quotations without assigning any reasons.
- Canvassing in any form would lead to rejection of quotations.
- Quotations received after the due date will not be considered.
- Quotations without Signature and Stamp / Seal are likely to be rejected.
- Terms other than this may be specified separately.



V J T I

Veermata Jijabai Technological Institute

(Central Technological Institute, Maharashtra State, INDIA)


H. R. Mahajani Marg, Matunga, Mumbai 400019

Tel.No. +91 22 24198101-02 Fax: +91 22 24102874

www.vjti.ac.in

4. Additional Terms & Conditions:-

1. The contractor should have experience in completion of similar type of work costing minimum 80% of estimated cost of the work during the last three years.
2. Site visit by the Bidder to understand the scope of work is compulsory for submission of quotation.
3. The experienced/qualified Supervisor (Diploma / Degree Civil Engineer) should be present at the worksite when work is in progress.
4. All the debris generated from the works is to be removed by the Contractor. It should be disposed of away from the Institute premises following Municipality rules.
5. The work may be carried out on all days from 8.00 AM to 6.00 PM. For working in late hour's Dean (I & M) permission shall be obtained.
6. Successful bidder shall submit bar chart for the execution of work.
7. Duration: 60 days. Works should be completed within 30 calendar days from the date of work order.
8. An incentives of Rs.5,000/- per day will be given if work is completed early. A penalty of Rs.10,000/- per day will be levied if work is delayed.
9. Variation of +/- 25% in contract cost (Excess Qty/ Extra items) permitted with approval of Dean (I & M), subject to maximum contract cost of Rs.10 Lakhs.
10. Variation in contract cost (Excess Qty / Extra items) beyond 25% will be approved by Director.


Dean (I & M)




V J T I

Veermata Jijabai Technological Institute

(Central Technological Institute, Maharashtra State, INDIA)

H. R. Mahajani Marg, Matunga, Mumbai 400019


Tel.No. +91 22 24198101-02 Fax: +91 22 24102874

www.vjti.ac.in

Annexure – I (Proforma for submission of price quote)
Details of Repairs to False Ceiling Painting & Minor Structural Repair work in CAD / CAM
Lab in Mechanical Department

Sr. No.	Description	Qty	Unit	Rate	Amount
1.	Providing and fixing Modular false ceiling of 600 x 600 mm center to center and 13 mm thick square PVC Board to be fixed on frame work of alluminium sections for suspended false ceiling consisting of alluminium T 2"x1 1/2" (50 mm x 40 mm) weighing 0.39 Kilogram/m at 60 cms center center and fixed with 1/2" x 1/2" (15 x 15 mm) flanges weighing 0.19 Kilogram/m suspended on 6 mm dia mild steel rod weighing 0.22 Kilogram/m, fixed on wall and beams including rounding of the edges with alluminium T of 2" x 1 1/2" (50 mm x 40 mm) weighing 0.39 Kilogram/m etc. (all alluminium sections shall be anodized) including all labour, material, lifts etc. complete.	42.50	Sq.M		
2.	Structural Strengthening of slab, beam and coloum in CAD CAM Lab.	1	Job		
3.	Scrapping the old plastered internal surface with sand paper and coating the entire surface with mixture of whiting or glue and linseed oil including scaffolding etc. complete as directed.	145.00	Sq.M		
4.	Providing internal / external 20 mm thick Ready Mix plaster conforming to IS:4031(Part4) 1988 and IS 383-1970 in a single coat using Cement mortar of proportion 1:4 containing special type of polymer additives about 0.4%, to all type of surfaces in all positions including scaffolding and curing etc.complete.	82.00	Sq.M		
5.	Providing and applying priming coat on concrete/ masonry/ Asbestos Cement plastered surfaces including scaffolding if necessary, preparing the surface by thoroughly cleaning oil, grease, dirt and other foreign matter and sand papering as required etc. complete.	145.00	Sq.M		
6.	Providing and applying Two coats of wall care Putty on plastered surface and Ceiling and Walls to prepare surface even and smooth of approved make, etc complete.	145.00	Sq.M		
7.	Providing and applying interior wall finish luster of approved make on internal wall surface as detailed below Scrapping the surface with emery paper and wipe clean wall primer with brush with mineral turpentine with brush 8 to 10% and oil 15 to 20% with roller and allowing to dry for a period 6 to 8 hours. wall putty with appropriate proportion of water allowing to dry for period 4 to 6 hours. Scrapping with Emery paper 180 and wipe clean. Applying wall primer with brush with mineral turpentine 8 to 10% and oil 15 to 20% with roller Scrapping Emery paper 320 and wipe clean, interior wall finish luster 1st coat with brush/rubber/spray with mineral turpentine 7 to 9% and Oil with roller 19 to 21% After 8 hours of activity Applying 2nd coat or wall finish Lustre with mineral turpentine 7 to 9 % with brush and Oil with roller 19 to 21% after allowing dry for the period of 6 to 8 hours activity. (With prior approval of S.E.)	145.00	Sq.M		
8.	Removing the existing oil paint from doors and window surfaces upto the original wood surface by using flame and grinder etc complete. The surfaces should got approved from Engineer in charge before applying malimine polish.	22.50	Sq.M		

9.	Providing and applying melamine polish of required finish to the wood work by spray machine including knotting and preparing the even surface by scraping, applying French polish , scaffolding if required etc. complete.Note:The work to be executed on prior approval of Superintending Engineer will be necessary.	22.50	Sq.M		
10.	Removal of debris including loading and unloading on approved dumping ground by truck for the lead of 50 kilometers.etc complete.	20.00	Cu.m.		
11.	Providing and fixing partition of High Density High Moisture Resistant (HDHMR) or any Wood Plastic Component (WPC) Plywood of min 12mm thickness for toilet partition, including fittings, fixtures, etc complete.	636.00	Sq Ft		
12.	Providing and fixing in position, Single shuttered aluminium extruded powder coated openable door of overall size 0.90 m x 2.40 m with aluminium door frame of powder coated section 101.60 x 44.75mm , 3.18 mm thick and shutter comprising of powder coated section having bottom and lock rail of size 150 mm x 44.5 mm x 3.00 mm thick top rails 47.62 x 44.45 mm x 3.00 mm thick , vertical style 47.62 x 44.45 mm, 3.00 mm thick and for shutter plain glass panes 5 mm thick for top panels and 12mm thick both side laminated phenol bonded particle board panels for bottom panels etc. , I.S.I. mark , with bijagiri having heavy duty concealed lock, necessary beading, glazing clips, PVC gaskets, 250mm length tower bolts, 150mm diam. pad handle, etc. as per detailed design and drawing or as directed by engineer in charge including all materials , labours, and equipment etc. complete	5.00	Sq.M		
	Total Basic Amount:-				
	CGST 9%:-				
	SGST 9%:-				
	Total Amount:-				


 Dean (I & M)