



VJTI
Veermata Jijabai Technological Institute
(Central Technological Institute, Maharashtra State, INDIA)
H. R. Mahajani Marg, Matunga, Mumbai 400019
Tel.No. +91 22 24198101-02 Fax: +91 22 24102874
www.vjti.ac.in

Ref No. STR/I & M/4162/2024

Date:- 04/11/2024
- 4 NOV 2024

QUOTATION NOTICE

M/s.
.....
.....

Subject:- Construction of Sub-Station No.2 in the campus of VJTI Institute.

Enquiry Issue Date:- 04/11/2024

Last date of submission:- 11/11/2024 at 3.00 P.M.

Estimated Cost: Rs.9,87,743/- (Including GST)

Dear Sir,

The Institute intends to undertake the Construction of Sub-Station No.2 in the campus of VJTI Institute for which sealed quotation are invited. You are requested to quote the rates/price/cost in Annexure – I.

TERMS & CONDITIONS

1. Quotation submission

- Sealed quotation, addressed to Director, VJTI; shall be posted or submitted at First Floor, Inward Section, VJTI, H. R. Mahajani Marg, Matunga, Mumbai 400019, in person so as to reach this Office on or before the due date and time.
- The sealed envelope shall be superscripted with Reference No. mentioned overleaf.
- Quotation must be printed on the **letterhead** of the firm/vendor/company/organization otherwise quotation shall be rejected outright.
- **Please mention your GST, PAN and any other relevant identification /registration numbers.**
- If the due date turns out to be a holiday for unforeseen reason, quotation should be accepted on the next working day.
- The quotation should be valid for a period of 60 days.
- The rate/price/cost quoted should be inclusive of all items, labour charges, transportation cost etc.

2. Payment:-

- **Payment after the satisfactory completion of work will be made by bank transfer only.**
- **As per Institute policy, no advance payment will be made.**

3. Acceptance of quotation

- Institute reserves the right of rejection of any or all the quotations without assigning any reasons.
- Canvassing in any form would lead to rejection of quotations.
- Quotations received after the due date will not be considered.
- Quotations without Signature and Stamp / Seal are likely to be rejected.
- Terms other than this may be specified separately.



V J T I
Veermata Jijabai Technological Institute
(Central Technological Institute, Maharashtra State, INDIA)
H. R. Mahajani Marg, Matunga, Mumbai 400019
Tel.No. +91 22 24198101-02 Fax: +91 22 24102874
www.vjti.ac.in

4. Additional Terms & Conditions:-

1. The contractor should have experience in completion of similar type of work costing minimum 80% of estimated cost of the work during the last three years.
2. Site visit by the Bidder to understand the scope of work is compulsory for submission of quotation.
3. The experienced/qualified Supervisor (Diploma / Degree Civil Engineer) should be present at the worksite when work is in progress.
4. All the debris generated from the works is to be removed by the Contractor. It should be disposed of away from the Institute premises following Municipality rules.
5. The work may be carried out on all days from 8.00 AM to 6.00 PM. For working in late hour's Dean (I & M) permission shall be obtained.
6. Successful bidder shall submit bar chart for the execution of work.
7. Duration: 60 days. Works should be completed within 30 calendar days from the date of work order.
8. An incentives of Rs.5,000/- per day will be given if work is completed early. A penalty of Rs.10,000/- per day will be levied if work is delayed.
9. Variation of +/- 25% in contract cost (Excess Qty/ Extra items) permitted with approval of Dean (I & M), subject to maximum contract cost of Rs.10 Lakhs.
10. Variation in contract cost (Excess Qty / Extra items) beyond 25% will be approved by Director.

Dean (I & M)

25/10/24



V J T I

Veermata Jijabai Technological Institute

(Central Technological Institute, Maharashtra State, INDIA)

H. R. Mahajani Marg, Matunga, Mumbai 400019

Tel.No. +91 22 24198101-02 Fax: +91 22 24102874

www.vjti.ac.in

**Annexure – I (Proforma for submission of price quote)
Details of Construction of Sub-Station No.2 in the campus of VJTI Institute.**

Sr. No.	Description	Qty	Unit	Rate	Amount
1.	Dismantling the R.C.C. Work 1:2:4 and sorting out the materials such as steel etc. as directed and stacking them within the specified lead as directed etc. complete.	5.06	Rmt		
2.	Removing wire fencing with iron/ C.C. fencing post and stacking the materials as directed with all leads, lifts etc. complete.	23.60	Sq.m		
3.	Excavation for foundation in earth, soil of all types, sand, gravel and soft murum, including removing the excavated material up to a distance of 50 m. beyond the building area and stacking and spreading as directed, dewatering, preparing the bed for the foundation and necessary back filling, ramming, watering including shoring and strutting etc. complete. (Lift upto 1.5 m.) By Mechanical Means	18.75	Cu.m		
4.	Filling in plinth and floors with contractors material/brought from outside and approved by Engineer incharge in layers of 15 cm to 20 cm including watering and compaction etc. complete.	20.63	Cu.m		
5.	Providing dry/ trap/ granite/ quartzite/ gneiss rubble stone soling 15 cm to 20 cm thick including hand packing and compacting etc. complete.	10.65	Cu.m		
6.	Providing and laying Cast in situ/Ready Mix cement concrete in M-10 of trap/ granite/ quartzite/ gneiss metal for foundation and bedding including bailing out water, Steel centering, formwork, laying/pumping, compacting, roughening them if special finish is to be provided, finishing if required and curing complete, with fully automatic micro processor based PLC with SCADA enabled reversible Drum Type mixer/concrete Batch mix plant (Pan mixer) etc. complete. With fine aggregate (Crushed sand VSI Grade)	1.68	Cu.m		
7.	Providing and laying in situ /Ready Mix cement concrete M-20 of trap / granite /quartzite/ gneiss metal for R.C.C. work in foundations like raft, strip foundations, grillage and footings of R.C.C. columns and steel stanchions etc. including bailing out water, Steel centering formwork, laying/pumping cover blocks, compaction and curing roughening the surface if special finish is to be provided (Excluding reinforcement and structural steel) etc. complete, with fully automatic micro processor based PLC with SCADA enabled reversible Drum Type mixer/ concrete Batch mix plant (Pan mixer) etc. complete. With fine aggregate (Crushed sand VSI Grade)	7.11	Cu.m		
8.	Providing and fixing in position TMT - FE - 500 bar reinforcement of various diameters for R.C.C. pile caps, footings, foundations, slabs, beams columns, canopies, staircase, newels, chajjas, lintels pardis, copings, fins, arches etc. as per detailed designs, drawings and schedules. including cutting, bending, hooking the bars, binding with wires or tack welding and supporting as required complete.	0.57	M.T.		

Sr. No.	Description	Qty	Unit	Rate	Amount
9.	Providing structural steel work in hollow section of various thickness and sizes in square, rectangular and round shape from 25mm to 450mm section as per IS 4923 YST 310 Grade produced from iron ore and blast furnace route etc. as per detailed designs and drawing or as directed including cutting, fabricating, hoisting, erecting, fixing in position, making riveted/bolted/ welded connections and painting complete.	4.40	M.T.		
10.	Providing second class Burnt Brick masonry with conventional/ I.S. type bricks in cement mortar 1:6 in superstructure including striking joints, raking out joints, watering and scaffolding etc. Complete	2.59	Cu.m		
11.	Providing sand faced plaster externally in cement mortar using approved screened sand, in all positions including base coat of 15 mm thick in cement mortar 1:4 using waterproofing compound at 1Kilogramper cement bag curing the same for not less than 2 days and keeping the surface of the base coat rough to receive the sand faced treatment 6 to 8 mm thick in cement mortar 1:4 finishing the surface by taking out grains and curing for fourteen days scaffolding etc.complete.	28.25	Sq.m		
12.	Providing and fixing Galvanised Iron Pre coated trapezoidal Metallic coloured sheets of 0.50 millimetre thickness (26 B.W.G.) of approved make for roofing without wind tiles including fastening with galvanised iron screws and bolts, lead and bitumen washers as per drawing etc.	47.44	Sq.m		
13.	Providing and fixing welded mesh fabric for guniting of mesh size 75 mm x 75mm and 10 guage thick including scaffolding etc.complete	25.00	Sq.m		
	Total Amount:-				
	CGST 9% :-				
	SGST 9% :-				
	Net Amount:-				



Dean (I & M)

25/10/24