



**Maharashtra
Tenders**

eProcurement System Government of Maharashtra

Published Corrigendum Details

Date : 12-Feb-2026 12:14 PM

Print

Organisation Chain :	Director of Technical Education Department Mumbai Veermata Jijabai Technological Institute Mumbai
Tender ID :	2026_DTEDM_1273844_1
Tender Ref No :	VJTI/STR/IT-Infra/2026/60
Tender Title :	Supply Installation Testing and Commissioning of Swing Barriers Flap Barriers RFID or Contactless Smart Cards Biometric Fingerprint and Face Recognition Access Control System with Centralized Access Management Software and Visitor Management Module
Corrigendum Type :	Technical Bid

Corrigendum Document Details

Corr.No.	Corrigendum Title	Corrigendum Description	Published Date	Document Name	Doc Size(in KB)
1	Corrigendum 1	Corrigendum 1 for Clarifications and Modifications to the Tender Document Contents	12-Feb-2026 12:13 PM	Corrigendum1.pdf	1289.52

Veermata Jijabai Technological Institute, Mumbai-19
Department of IT Infrastructure

ANNEXURE-I

CORRIGENDUM -1

Tender ID: 2026_DTEDM_1273844_1

Sr. No	Tender Page and Clause No.	Contents in the Tender	CLARIFICATIONS/MODIFICATIONS / TO BE READ AS
1	SECTION3: Terms and Conditions of Contract;		
1.1	Page No 13 Sr No 14. Under Compliance Point No.2	"The quoted solution by bidder for this tender wherein the Face Recognition Terminals (FRT), Swing/Flap Barriers, Access Control System, and VMS/CMS should be of same OEM , in order to ensure seamless integration, simplified support, single-point accountability, and enhanced cybersecurity."	New Clause Inserted
1.2	Page No 13 Sr No 14. Under Compliance Point No.3	The offered IP CCTV cameras shall be STQC (Standardisation Testing & Quality Certification) certified / tested for Essential Requirements (ER) as prescribed by MeitY, Government of India.	New Clause Inserted
2	SECTION4: Technical Specifications and Essential Conditions To Be Fulfilled		
2.1	Page No.15 Sr.No.1	Face Recognition Access Controller; QTY-48; Make: Gunnebo, Suprema, Invixium, Dahua, HikVision	Face Recognition Access Controller; QTY-48; Make: Gunnebo, Suprema, Invixium, Dahua, HikVision OR Equivalent Brand
2.2	Page No.16 Sr.No.1. B16	System Integration: Device shall integrate with DSS Pro and SmartPSS Lite.	System Integration: Device shall integrate with DSS Pro and SmartPSS Lite. OR Equivalent
2.3	Page No.16 Sr.No.2	Technical Specification for Swing Barrier Turnstile (Left); QTY - 04; Make: Gunnebo, Suprema, Invixium, Dahua, HikVision; QTY - 04	Technical Specification for Swing Barrier Turnstile (Left) ; QTY - 04; Make: Gunnebo, Suprema, Invixium, Dahua, HikVision; OR Equivalent Brand
2.4	Page No 17 Sr No 2.25	Product Dimensions (L × W × H): 1,200 mm × 140 mm × 980 mm (47.24" × 5.51" × 38.58")	Product Dimensions (L × W × H): 1,200 mm × 140 mm × 980 mm (47.24" × 5.51" × 38.58"): +/- 5% Variance allowed
2.5	Page No 17 Sr No 2.26	Packaging Dimensions (L × W × H): 1,299 mm × 332 mm × 1,173 mm (51.14" × 13.07" × 42.24")	Packaging Dimensions (L × W × H): 1,299 mm × 332 mm × 1,173 mm (51.14" × 13.07" × 42.24") : +/- 5% Variance allowed

Director's Office

Inward Date 10/12/2026

Document page No. 2/27

Veermata Jijabai Technological Institute, Mumbai-19

Department of IT Infrastructure

2.6	Page No 17 Sr No 3	Technical Specifications for Swing Barrier Turnstile (Right); Qty: 04 Make: Gunnebo, Suprema, Invixium , Dahua, HikVision	Technical Specifications for Swing Barrier Turnstile (Right); Qty: 04 Make: Gunnebo, Suprema, Invixium , Dahua, HikVision OR Equivalent Brand
2.7	Page No 18 Sr No 3.25	Product Dimensions (L × W × H): 1,200 mm × 140 mm × 980 mm (47.24" × 5.51" × 38.58")	Product Dimensions (L × W × H): 1,200 mm × 140 mm × 980 mm (47.24" × 5.51" × 38.58"): +/- 5% Variance allowed
2.8	Page No 18 Sr No 3	Packaging Dimensions (L × W × H) : 1,299 mm × 332 mm × 1,173 mm (51.14" × 13.07" × 42.24")	Packaging Dimensions (L × W × H) : 1,299 mm × 332 mm × 1,173 mm (51.14" × 13.07" × 42.24"): +/- 5% Variance allowed
2.9	Page No 18 SR No 4	Technical Specifications for Swing Barrier (Middle) ; Qty: - 18 Make: Make: Gunnebo, Suprema, Invixium, Dahua, HikVision OR Equivalent	Technical Specifications for Swing Barrier (Middle) ; Qty: - 18 Make: Make: Gunnebo, Suprema, Invixium, Dahua, HikVision : OR Equivalent Brand
2.10	Page No 19 Sr No 4.25	Product Dimensions (L × W × H): 1,200 mm × 140 mm × 980 mm (47.24" × 5.51" × 38.58")	Product Dimensions (L × W × H): 1,200 mm × 140 mm × 980 mm (47.24" × 5.51" × 38.58"): +/- 5 % Variance allowed
2.11	Page No 19 Sr No 4.26	Packaging Dimensions (L × W × H): 1,299 mm × 332 mm × 1,173 mm (51.14" × 13.07" × 42.24")	Packaging Dimensions (L × W × H): 1,299 mm × 332 mm × 1,173 mm (51.14" × 13.07" × 42.24") +/- 5 % Variance allowed
2.12	Page No 21 Sr No 5A.20	Server Hardware Requirements (Minimum/Recommended)- CPU: Intel Xeon E-2224 3.4 GHz (min) / Intel Xeon Silver 4114 @ 2.2 GHz 10 Core (rec); Memory: 16 GB (min) / 32 GB (rec); System Disk: 1TB 7.2K RPM SATA (min) / 1TB 7.2K RPM SATA Hot-plug (rec); Storage Disk: 7200 RPM Enterprise Class HDD (min/rec); Ethernet: 2 Ports @ 1000 Mbps (min) / 4 Ports @ 1000 Mbps (rec)	Server Hardware Requirements (Minimum/Recommended)- CPU: Intel Xeon E-2224 3.4 GHz (min) / Intel Xeon Silver 4114 @ 2.2 GHz 10 Core (rec); Memory: 16 GB (min) / 32 GB (rec); System Disk: 1TB 7.2K RPM SATA (min) / 1TB 7.2K RPM SATA Hot-plug (rec); Storage Disk: 7200 RPM Enterprise Class HDD (min/rec); Ethernet: 2 Ports @ 1000 Mbps (min) / 4 Ports @ 1000 Mbps (rec) Server Type Rack-mount enterprise (e.g., Dell R740 or HPE DL380) ; Rack Size: 2U standard 19"
2.13	Page No 21 Sr No 5B	Access Control Expansion License (If required): Qty: Required to support 44 FRTs and 8 bullet cameras.	Access Control Expansion License (If required): Qty: Required to support 48 FRTs and 8 bullet cameras.
2.14	Page No 22 Sr No 6	IP Bullet Camera; Qty: - 8 ; Make: - Axis Communication, Hanwha Vision, Dahua Technology, HikVision.	IP Bullet Camera; Qty: - 8 ; Make: - Axis Communication, Hanwha Vision, Dahua Technology, HikVision OR Equivalent Brand

Director's Office

Inward Date 10/12/20

Document page No. 3/27

Veermata Jijabai Technological Institute, Mumbai-19

Department of IT Infrastructure

2.15	Page No 23 Sr No 9.1	Specifications: 3-core 2.5 sq.mm copper cable, MCBs, conduits per IS 732. Include earthing, surge protection.	Specifications: 3-core 2.5 sq.mm copper cable, MCBs, conduits per IS 732. Include earthing, surge protection. Consider Concealed cable laying pattern
3	BIDDERS CRITERION		
3.1	Page No.27 Sr. No.7	The bidder shall be at least 15 Years established company.	The bidder shall be at least 15 Years established company.
3.2	Page No 27 Sr No 9	The bidder must have a minimum of two (2) full-time technical staff on their payroll, each holding valid and relevant certifications in the field of Access Control Systems. (The purpose of this requirement is to ensure that the implementing agency possesses competent human resources with verifiable expertise in access control, biometric authentication systems, centralized access management software, and related integration technologies.) Clear scanned copies of valid certificates: Certified Access Control Specialist (CACS); ONVIF (Open Network Video Interface Forum); Certification; CompTIA Security+;	The bidder must have a minimum of two (2) full-time technical staff on their payroll, each holding valid and relevant certifications in the field of Access Control Systems. (The purpose of this requirement is to ensure that the implementing agency possesses competent human resources with verifiable expertise in access control, biometric authentication systems, centralized access management software, and related integration technologies.) Clear scanned copies of valid certificates: Certified Access Control Specialist (CACS); ONVIF (Open Network Video Interface Forum); Certification; OR ASIS International – Physical Security Professional (PSP) ; OR Certified Biometrics Professional (CBP) – by IBIA ; CompTIA Security+;
3.3	Page No 28 Sr No 19	For offered IP CCTV cameras the bidder shall submit a valid STQC ER Test Report / Certificate issued by an STQC-approved laboratory along with the technical bid.	New Clause Inserted

All other terms and conditions will remain unaltered.

Director's Office
 Inward Date 10/12/20
 Document page No. 4/27