



V J T I

**Veermata Jijabai Technological Institute**  
(Central Technological Institute, Maharashtra State, INDIA)  
H. R. Mahajani Marg, Matunga, Mumbai 400019  
Tel.No. +91 22 24198101-02 Fax: +91 22 24102874  
[www.vjti.ac.in](http://www.vjti.ac.in)

Ref No. VJTI/Maintenance/ Canteen/ <sup>5783</sup> /2026

Date: **4 MAR 2026**

**QUOTATION NOTICE**

M/s. ....

**Subject:** - Procurement of Student and Executive chairs for the VJTI Canteen.

Enquiry Issue Date: - 04.03.2026 Last date of Submission: - 10.03.2026 up to 3.00pm

Estimated Cost: Rs. 5,56,925.00/- (Including GST)

Dear Sir,

The Institute intends to undertake the work "Procurement of Student and Executive chairs for the VJTI Canteen." for which sealed quotations are invited. You are requested to quote the rates/price/cost in Annexure – I(BOQ).

**TERMS & CONDITIONS**

**1. Quotation submission**

- Sealed quotation, addressed to Dean ID&M, VJTI; shall be submitted at First Floor, Inward Section, VJTI, H. R. Mahajani Marg, Matunga, Mumbai 400019, in person so as to reach this Office on or before the due date and time.
- The sealed envelope shall be superscripted with Reference No. mentioned overleaf.
- Quotation must be printed on the letterhead of the firm/vendor/company/organization otherwise quotation shall be rejected outright.
- Please mention your GST, PAN and any other relevant identification /registration numbers.
- If the due date turns out to be a holiday for unforeseen reason, quotation should be accepted on the next working day.
- The quotation rates should be valid for a period of 60 days.
- The rate/price/cost quoted should be inclusive of all items, labour charges, transportation, installation and other miscellaneous charges.

**2. Payment: -**

- Payment after the satisfactory completion of work will be made by bank transfer only.
- As per Institute policy, no advance payment will be made.

**3. Acceptance of quotation**

- Institute reserves the right of rejection of any or all the quotations without assigning any reasons.
- Canvassing in any form would lead to rejection of quotations.
- Quotations received after the due date will not be considered.
- Quotations without Signature and Stamp / Seal shall be rejected.
- Terms other than this may be specified separately.

#### 4. Additional Terms & Conditions: -

1. The contractor should have experience in completion of similar type of work costing minimum 60% of estimated cost of the work during the last three years and documents thereof shall be attached with quotation.
2. The work site within VJTI premises needs to be inspected on any working day within office hours. A site visit form duly signed by engineer of maintenance section is to be attached with quotation, else same will be rejected.
3. The experienced/qualified Supervisor (Diploma / Degree Civil Engineer) should be present at the worksite when work is in progress.
4. All the debris generated from the works is to be removed by the Contractor. It should be disposed of away from the Institute premises following Municipality rules with all leads and lifts.
5. The work may be carried out on all days from 8.00 AM to 6.00 PM. For working in late hour's Dean (I & M) permission shall be obtained.
6. Duration: 60 days. Works should be completed within 60 calendar days from the date of work order.
7. A penalty of Rs.500/- per day will be levied if supply and installation is delayed.
8. Variation in quantity or extra items shall be executed only after prior approval of competent authority (Dean I D& M / Director)
9. In the event that the bidder quotes an amount lower than the estimated cost, the bidder shall be liable to pay Additional Security Deposit (ASD), as stipulated under the prevailing PWD norms.



Dean (ID&M)



Name of the Work: Procurement of student and Executive chairs for the VJTI Canteen.										
Item no.	Item Description	Size			Qty	Unit	Reference Image	Specification	Cost per unit	Total Cost
		W	B/D	H						
<b>SINGLE AND TWIN ROOMS</b>										
1	Students Chair	540W x 490DX 859 Ht	200	Nos		<p><b>Supplying and placing students chairs as per the specifications detailed below.</b></p> <p><b>Material &amp; Construction:</b> Seat and backrest fabricated from high-impact, injection-moulded polypropylene polymer. The backrest must feature an ergonomic curve and perforations to facilitate lumbar support and airflow.</p> <p><b>Frame:</b> Three-dimensional welded structure utilizing 22.5mm MS ERW (Electric Resistance Welded) tubing with a 2mm wall thickness.</p> <p><b>Finish:</b> All metallic components shall have a minimum 60-micron powder coating. The frame finish must be color-matched to the seat and back. the chair shall be stackable upto 5 chairs</p> <p><b>Floor Protection:</b> Equipped with high-density polyethylene (HDPE) floor glides/bushes to prevent surface scratching.</p> <p><b>Dimensions:</b> Seat: 540mm (W) x 490mm (L)</p> <p><b>Backrest:</b> 540mm (W) x 369mm (H)</p> <p><b>Total Footprint:</b> 540mm (W) x 490mm (D) x 859mm (H)</p> <p><b>Chair Weight:</b> not less than 5.20 Kg per nos</p> <p><b>Color requirement:</b> Blue , Grey , Green, Orange, Butterscotch, Red, White, Yellow, Black, and Stone Grey. (20 nos each color) It is mandatory to have ISI certification mark on chair and documents thereof.</p>		-		
2	Executive Chair	560W x 500DX 820 Ht	45	Nos		<p><b>Supplying and placing executive chairs as per the specifications detailed below.</b></p> <p><b>Material &amp; Construction:</b> The seat and backrest shall be made of polypropylene polymer injection-moulded frame is fibreglass.</p> <p><b>Frame:</b> The chair backrest shall be ergonomically curved and cane finish to provide improved back support and adequate air ventilation. Back frame 20mm thick. Handle 34mm width with 18mm thickness.</p> <p><b>Finish:</b> The injection-moulded seat and back panel shall be 7 mm thick with cane finish, press-fitted, and shall measure 560 mm in width and 530 mm in depth. The chair shall be supported on cone-shaped triangular legs with a diameter of 28 mm at the bottom and 36 mm at the top. the chair shall be stackable upto 5 chairs.</p> <p><b>Floor Protection:</b> Chairs shall be provided with appropriate HDPE bushes to prevent scratches on the floor.</p> <p><b>Total Footprint:</b> The overall dimensions of the chair shall be 560 mm (W) x 500 mm (D) x 820 mm (H).</p> <p><b>Chair Weight:</b> not less than 4.40 kg per nos.</p> <p><b>Colour requirement:</b> Beige only. It is mandatory to have ISI certification mark on chair and documents thereof.</p>		-		
NOTE - 1. COMPREHENSIVE WARRANTY OF 3 YEARS TO BE PROVIDED FOR ALL CHAIRS. DAMAGED ITEMS NEED TO BE REPLACED AT THE VENDOR'S COST WITHIN 10 WORKING DAYS.								<b>Total Amount</b>		
								Add: CGST @ 9% =		
								Add: SGST @ 9% =		
								<b>Gross Amount =</b>		