

# All India Council for Technical Education

(An Autonomous Organization, Under Ministry of HRD, Govt. of India).

Nelson Mandela Marg, Vasant Kunj, New Delhi-110067 Website: <https://www.aicte-india.org>



## APPROVAL PROCESS 2018-19

### Application Deficiency Report

#### DEFICIENCY REPORT AS PER CURRENT INTAKE (Applicable for Existing Institutes only)

Regional Office		Western	
Application Id	1-3517147605	Permanent Id	1-5149491
Name of the Institute	VEERMATA JIJABAI TECHNOLOGICAL INSTITUTE	Address	H R MAHAJANI MARG, MATUNGA, MUMBAI - 400 019
City/Village	MUMBAI	District	MUMBAI CITY
State	Maharashtra	Pin	400019

Overall Deficiency of Institute: **No**

Designation	Name	Appointment Type	Qualification	PhD
Principal/Director	DHIREN PATEL	Regular	B E, M TECH,	Yes

#### Other Details

Sr. No.	Details of Requirement	Status provided by the Institute	Deficiency
1	List of faculty and data uploaded on the Institute web portal	Yes	No
2	Are all approved teaching faculty being paid as per VI pay commission?	Yes	No
3	Whether Institute is operating from Permanent Site/ Temporary Site?	Permanent Site	No
4	Fees to be charged, Reservation policy, Admission policy and Document retention policy are uploaded in Institute's Website?	Yes	No
5	Courses/Approved Intake displayed at the entrance of the Institute?	Yes	No

#### Anti-Ragging Related Deficiency Status

Sr. No.	Details of Requirement	Status provided by the Institute	Deficiency
1	Constitution of Anti-Ragging Committee	Yes	No
2	Constitution of Anti-Ragging Squad	Yes	No
3	Undertaking obtained from all Students	Yes	No
4	Appointment of Counselors	Yes	No
5	Undertaking obtained from parents of all the students	Yes	No
6	Undertaking obtained from students staying in Hostel	Yes	No
7	Undertaking obtained from parents of students staying in Hostel	Yes	No

#### Ombudsman Related Deficiency Status

Sr. No.	Details of Requirement	Status provided by the Institute	Deficiency
1	Grievance Committee	Yes	No

#### Total Number of Students in Institute

(i)	No. of Students UG	2160
(ii)	No. of Students PG	1047
(iii)	No. of Students DIPLOMA	1100
Total Students (CI) (UG+PG+DIPLOMA)		4307

#### Faculty

##### Institute Level Faculty

Type	Actual No.	Required No. as per CI	Deficiency
Total Faculty(UG+PG+Diploma)	268	227	No

##### Administrative Area

Type	Actual Room Area (Sq.m.)	Expected Room Area (Sq.m.)	Deficiency
Principal / Director Office	82	30	No
Board Room	30	20	No
Office All Inclusive	313	300	No
Department Offices/Cabin for Head of Dept	223	220	No
Central Store	59	30	No
Maintenance	19	10	No
Security	10	10	No
Housekeeping	10	10	No
Pantry for Staff/Faculty	10	10	No
Exam Control Office	158	30	No

Date of Signature(dd/mm/yyyy)

Seal of Institute

Name & Signature of Director/Principal

## Application Deficiency Report



Application Status: **Submitted**  
Application Sub-Status: **Payment Not Applicable**

Report Generated on :-08/02/2018

Training Placement Office	43	30	No
---------------------------	----	----	----

<b>Amenities Area</b>			
Type	Actual Room Area (Sq. m.)	Expected Room Area (Sq. m.)	Deficiency
Boys Common Room	100.32	100	No
Girls Common Room	102.27	100	No
Cafeteria	262.14	150	No
Stationery Store & Reprography	10	10	No
First aid cum Sick Room	10	10	No

<b>Computational Facilities</b>			
Type	Available	Required	Deficiency
Internet Bandwidth	210	64	No
Printers	167	42	No
A1 size Color Printers	0	0	No
Legal Application S/W	60	40	No
Legal System S/W	23	6	No
PCs to Student ratio	1384	819	No

<b>Library Facilities</b>			
Type	Available	Required	Deficiency
Volumes	84795	183575	Yes
Titles	28325	33275	Yes
National Journals	359	190	No
Library Management Software	1	1	No
Reading Room Capacity	150	150	No
MultiMediaPC	35	10	No

<b>Instructional Area-Common Facilities</b>			
Type	Available	Required	Deficiency
Computer Center	450	450	No
Library & Reading Room	1128	1127	No
Language Laboratory	79	66	No

<b>Land Area Details</b>			
Type	Available	Required	Deficiency
Total Area of Land	16.5	9.9	No
Maximum number of Pieces	1	3	No
Minimum per Piece of Area	16.5	9.9	No

<b>ENGINEERING AND TECHNOLOGY / Existing Programme</b>				
Type	Level	Actual Room Area (Sqm.)	Expected Room Area (Sqm.)	Deficiency
Class Room-Tutorial Room	UNDER GRADUATE	2018	2013	No
Additional Workshop/Labs	UG/PG	672	400	No
Class Rooms - PG	POST GRADUATE	869	561	No
Laboratories-All	UG/PG	6152	5994	No
Workshops - Basic	UG/PG	1131	200	No
Drawing Halls	UG/PG	264	132	No
Seminar Hall	UG/PG	1325	660	No

<b>ENGINEERING AND TECHNOLOGY-Diploma / Existing Programme</b>				
Type	Level	Actual Room Area (Sqm.)	Expected Room Area (Sqm.)	Deficiency
ClassRooms	Diploma/Post Diploma	1122	1122	No
Tutorial Room	Diploma/Post Diploma	178	165	No
Additional Workshop/Labs	Diploma/Post Diploma	2038	400	No
Laboratories	Diploma/Post Diploma	2649	2508	No
Workshops - Basic	Diploma/Post Diploma	575	200	No
Drawing Halls	Diploma/Post Diploma	132	132	No
Seminar Hall	Diploma/Post Diploma	132	132	No

Date of Signature(dd/mm/yyyy)

Seal of Institute

Name & Signature of Director/Principal

## Application Deficiency Report



Application Status: **Submitted**  
 Application Sub-Status: **Payment Not Applicable**

Report Generated on :-08/02/2018

<b>MCA / Existing Programme</b>				
Type	Level	Actual Room Area (Sqm.)	Expected Room Area (Sqm.)	Deficiency
Class Room-Tutorial Room	POST GRADAUTE	169	165	No
Laboratories-All	UG/PG	285	264	No
Seminar Hall	POST GRADAUTE	168	132	No

<b>Other Facilities</b>				
Sr. No.	Type	Availability	Deficiency	
1	All Weather Approach (Motorised Road)	Yes	No	
2	Barrier free Environment	Yes	No	
3	Electric Supply	Yes	No	
4	General Insurance	Yes	No	
5	Institution Web Site	Yes	No	
6	Standalone Language Laboratory	Yes	No	
7	Medical & Counseling	Yes	No	
8	Notice Boards	Yes	No	
9	Potable Water Supply	Yes	No	
10	Safety Provisions	Yes	No	
11	Sewage Disposal System	Yes	No	
12	Telephone & FAX	Yes	No	
13	Vehicle Parking	Yes	No	
14	First Aid	Yes	No	
15	Appointment of Student Counsellor	Yes	No	
16	Establishment of Anti Ragging committee	Yes	No	
17	Establishment of committee for SC/ST	Yes	No	
18	Establishment of Internal Complaint Committee(ICC) As per section 4 of SexualHarassment of Women at Workplace (Prevention, Prohibition and Redressal) Act,2013	Yes	No	
19	Establishment of Grievance Redressal Committee in the Institute and Appointment of OMBUDSMAN by the University	Yes	No	
20	Digital Payment for all Financial Transactions as per MHRD Directives	Yes	No	
21	Compliance of the National Academic Depository(NAD) as per MHRD Directives	Yes	No	
22	Display Board within the premises as well as in the Website of the Institution Indicating the Feedback Facility of Students and Faculty available in the AICTE Web Portal	Yes	No	
23	Implementing Food Safety and Standard Act,2006 in the Institution	Yes	No	
24	Copies of AICTE Approvals (LOA and EOA of subsequent years)obtained since Inception of Institution till date shall be placed in the Website of the Institution	Yes	No	
25	Provision to watch MOOCS Courses through Swayam	Yes	No	
26	Implementation ofUnnat Bharat Abhiyan	Yes	No	
27	Institution-Industry Cell	Yes	No	
28	Group Insurance for Employees	Yes	No	
29	Insurance for Students	Yes	No	
30	Applied membership-National Digital Library	Yes	No	
31	Implementation of Security Measures	Yes	No	
32	Online Grievance Rederssal Mechanism	No	Yes	

### DEFICIENCY REPORT AS PER INTAKE APPLIED FOR YEAR 2018-2019

<b>Computational Facilities</b>				
Type	Available	Required	Deficiency	
Internet Bandwidth-Applied Intake	210	100	No	
Printers-Applied Intake	167	41	No	
A1 size Color Printers-Applied Intake	0	0	No	
Legal Application S/W-Applied Intake	60	40	No	
Legal System S/W-Applied Intake	23	6	No	

Date of Signature(dd/mm/yyyy)

Seal of Institute

Name & Signature of Director/Principal

## Application Deficiency Report



Application Status: **Submitted**  
 Application Sub-Status: **Payment Not Applicable**

Report Generated on :-08/02/2018

PCs to Student ratio-Applied Intake	1384	790	No
-------------------------------------	------	-----	----

<b>Library Facilities</b>			
Type	Available	Required	Deficiency
Volumes	84795	184075	Yes
Titles	28325	33975	Yes
National Journals	359	190	No
Library Management Software	1	1	No
Reading Room Capacity	150	150	No
MultiMediaPC	35	10	No

<b>ENGINEERING AND TECHNOLOGY / Existing Programme</b>				
Type	Level	Actual Room Area (Sqm.)	Expected Room Area (Sqm.)	Deficiency
Class Room-Tutorial Room	UNDER GRADUATE	2018	2013	No
Additional Workshop/Labs	UG/PG	672	400	No
Class Rooms - PG	POST GRADUATE	869	858	No
Laboratories-All	UG/PG	6152	5994	No
Workshops - Basic	UG/PG	556	200	No
Drawing Halls	UG/PG	132	132	No
Seminar Hall	UG/PG	1193	1188	No

<b>ENGINEERING AND TECHNOLOGY-Diploma / Existing Programme</b>				
Type	Level	Actual Room Area (Sqm.)	Expected Room Area (Sqm.)	Deficiency
ClassRooms	Diploma/Post Diploma	1122	990	No
Tutorial Room	Diploma/Post Diploma	178	132	No
Laboratories	Diploma/Post Diploma	2649	2640	No
Additional Workshop/Labs	Diploma/Post Diploma	2038	400	No
Workshops - Basic	Diploma/Post Diploma	575	200	No
Drawing Halls	Diploma/Post Diploma	132	132	No
Seminar Hall	Diploma/Post Diploma	132	132	No

<b>MCA / Existing Programme</b>				
Type	Level	Actual Room Area (Sqm.)	Expected Room Area (Sqm.)	Deficiency
Class Room-Tutorial Room	POST GRADUATE	169	165	No
Laboratories-All	UG/PG	285	66	No
Seminar Hall	POST GRADUATE	168	132	No

**Note**

- XX- No Rooms Available
- DNA- Data Not Available / Insufficient Data
- Blank Field-Data Not Entered
- \* Laboratories required and Actual Number includes Total Number of Laboratories, Research Laboratories, and Additional WS/Labs for UG and PG courses, as applicable
- ^ Actual Number of Tutorial Rooms for Under Graduate includes the Number of Tutorial Rooms Available for PG, if applicable
- \*\* Actual Number of Guest Rooms for Under Graduate includes the Actual Number of Guest Rooms Available for PG, if applicable
- \*\*\* Actual Number of Kitchen for Under Graduate includes the Actual Number of Kitchen Available for PG, if applicable
- \*\*\*Note :- All the Dates in the Report are in (dd/mm/yyyy) format

Date of Signature(dd/mm/yyyy)

Seal of Institute

Name & Signature of Director/Principal

## Application Deficiency Report



Application Status: **Submitted**  
Application Sub-Status: **Payment Not Applicable**

Report Generated on :-08/02/2018

### **DECLARATION**

**BY THE PRINCIPAL/DIRECTOR/REGISTRAR OF THE INSTITUTE/UNIVERSITY DEPARTMENT**

I, as the Head of the Institution, hereby declare that:

a) I have carefully gone through the AICTE Regulations Notification dated on 30th November, 2016, published in the Gazette of India - Extraordinary Part III, Section- 4 and its amendment 05th December 2017 also the various provisions mentioned in the Approval Process Hand Book 2018-19.

b) I am fully aware of the data uploaded by me in respect of my institute on the web portal.

c) I am aware that there is no provision for correction of data, alteration of data, subsequent editing and appeal etc. for the online application once uploaded on the web portal.

d) I am also aware that application for seeking Extension of Approval(EOA), Increase/Reduction of intake, Addition of new courses, Change of site, Closure of course, Supernumerary Seats under PIO/FN/Gulf quota Approval status/OCI, NRI, Change of name, and Conversion of women institute into Co-ed institute and vice versa (as applicable), shall be processed as per relevant provisions enumerated in the Approval Process Hand Book 2018-19.

e) I am aware of the Deficiencies (if any) pointed out in the Report generated online, based on the factual data uploaded by my institute on the portal.

f) I am also aware that Institute is eligible for grant of Extension of Approval to the Existing Institutions, Extended EoA(if Applicable as per APH 2018-19), Introduction of Supernumerary Seats for Foreign Nationals/ Overseas Citizen of India (OCI)/ Persons of Indian Origin (PIO)/ Children of Indian Workers in Gulf Countries, only on fulfillment of prescribed norms & requirements as mentioned in the Approval Process Hand Book 2018-19.

**Signature of Principal/Director/Registrar**

**Name :**

**Seal/Stamp of the Institute/University Department**

Date of Signature(dd/mm/yyyy)

Seal of Institute

Name & Signature of Director/Principal

Printed By : ae3297101